## II. AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-11. (Cancelled)

12. (Original) A prosthesis for placement in a lumen of the first vessel that intersects with a second vessel, the prosthesis comprising:

a first end,

a second end, and

wherein at least one of the first and second ends is provided with a wire structure which has a plurality of apices extending beyond at least a portion of the corresponding end such that the plurality of apices extend across a lumen of the second vessel without occluding the lumen of the second vessel.

- 13. (Original) The prosthesis of claim 1 wherein the prosthesis is bifurcated.
- 14. (Original) The prosthesis of claim 1 wherein the first vessel is an aorta and the second vessel is a renal artery.
- 15. (Original) The prosthesis of claim 1 wherein the prosthesis has a tubular shape.
- 16. (Original) The prosthesis of claim 1 wherein the wire structure is formed of a metal.
- 17. (Original) The prosthesis of claim 1 wherein the wire structure is formed of a stainless steel.

- 18. (Original) The prosthesis of claim 1 wherein the wire structure is formed of a biocompatible plastic.
- 19. (Original) The prosthesis of claim 1 wherein the prosthesis is for treatment of aneurysms or occlusive diseases.
- 20. (Original) A prosthesis for placement in a lumen of the first vessel that intersects with a second vessel, the prosthesis comprising:
- a first end adapted for placement adjacent to a junction between the first vessel and the second vessel, and

a second end,

wherein the first end is reinforced with a wire member which has a plurality of apices extending beyond at least a portion of the first end and across the junction between the first vessel and the second vessel such that the prosthesis does not occlude a lumen of the second vessel.

- 21. (New) The prosthesis of claim 12 wherein said plurality of apices are formed from malleable material.
- 22. (New) The prosthesis of claim 12 wherein said plurality of apices are formed from a material that is not substantially resilient so that said plurality of apices have to be physically expanded in order to press against an inner surface of said first vessel.
- 23. (New) The prosthesis of claim 20 wherein said plurality of apices are formed from malleable material.
- 24. (New) The prosthesis of claim 20 wherein said plurality of apices are formed from a material that is not substantially resilient so that said plurality of apices have to be physically expanded in order to press against an inner surface of said first vessel.

- 25. (New) The prosthesis of claim 12 wherein said wire structure comprises a wire having a shape that is generally closed sinusoidal or zig-zag.
- 26. (New) The prosthesis of claim 25 wherein said shape is generally closed sinusoidal.
  - 27. (New) The prosthesis of claim 25 wherein said shape is generally closed zig-zag.
- 28. (New) The prosthesis of claim 20 wherein said wire structure comprises a wire having a shape that is generally closed sinusoidal or zig-zag.
- 29. (New) The prosthesis of claim 28 wherein said shape is generally closed sinusoidal.
  - 30. (New) The prosthesis of claim 28 wherein said shape is generally closed zig-zag.
- 31. (New) The prosthesis of claim 12 further comprising at least a first wire not at an end of said prosthesis.
- 32. (New) The prosthesis of claim 31 further comprising at least a second wire not at an end of said prosthesis.
- 33. (New) The prosthesis of claim 12 further comprising a plurality of wires arrayed along a length of said prosthesis.
- 34. (New) The prosthesis of claim 20 further comprising at least a first wire not at an end of said prosthesis.
  - 35. (New) The prosthesis of claim 34 further comprising at least a second wire not at

an end of said prosthesis.

36. (New) The prosthesis of claim 20 further comprising a plurality of wires arrayed along a length of said prosthesis.